

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	10	((("5579522") or ("6055632") or ("6253281") or ("6275931") or ("6357021"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 13:59
S5	4	((("20030093589") or ("20030179703"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 10:04
S7	1856	(image file).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 10:25
S8	415	(stor\$3 and image file).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 10:28
S13	46	image file with firmware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 10:38
S14	124383	(memory or RAM or SRAM or DRAM or SDRAM or DDR SRAM) same (processor\$2 or CPU\$2) same (I/O controller\$2 or controller\$2 or bridge\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 10:55
S15	47	manage\$3 process\$3 system\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 10:44
S16	197	management processing system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 13:41

S17	3	(management processing system) same S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 10:46
S18	53553	(memory or RAM or SRAM or DRAM or SDRAM or DDR SRAM) with host	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 10:55
S19	81	(memory or RAM or SRAM or DRAM or SDRAM or DDR SRAM) with image file with host	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 11:00
S20	5	management processing system with status	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 10:59
S21	410	(memory or RAM or SRAM or DRAM or SDRAM or DDR SRAM) near2 compris\$3 near2 host	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 11:01
S23	103	(memory or RAM or SRAM or DRAM or SDRAM or DDR SRAM) near2 compris\$3 near2 host with (processor\$2 or cpu\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 11:02
S24	20	(memory or RAM or SRAM or DRAM or SDRAM or DDR SRAM) near2 compris\$3 near2 host with (processor\$2 or cpu\$2) with (controller\$2 or bridge\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 11:04
S25	7	(memory or RAM or SRAM or DRAM or SDRAM or DDR SRAM) near2 compris\$3 near2 host with (processor\$2 or cpu\$2) with (controller\$2 or bridge\$2) and (non-volatile memory or flash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 11:10

S26	4	image file\$2 with firmware upgrade\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 11:12
S27	72	file\$2 with firmware upgrade\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 11:37
S28	1201	upgrad\$3 near3 firmware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 11:39
S31	90	upgrad\$3 near3 firmware with configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 11:40
S32	60	upgrad\$3 near3 firmware with configuration and flash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 11:40
S33	49	upgrad\$3 near3 firmware with configuration and flash and controller\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 11:40
S34	42	upgrad\$3 near3 firmware with configuration and flash and controller\$2 and (processor\$2 or cpu\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 11:41
S35	42	upgrad\$3 near3 firmware with configuration and flash and controller\$2 and (processor\$2 or cpu\$2) and (memory or ram or sram or dram or sdram or ddr sram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/06 11:26

S36	3	management processing system same flash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 13:42
S37	197	management processing system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 13:42
S38	4	management processing system same firmware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 13:43
S39	10	management processing system and firmware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 14:18
S40	48857	(input or output or I/O) controller\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 14:19
S41	910	(input or output or I/O) controller\$2 same flash near2 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 14:19
S42	421	(input or output or I/O) controller\$2 with flash near2 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 14:20
S43	7	(input or output or I/O) controller\$2 with flash near2 memory same firmware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 14:20
S44	1	"6092160".PN.	USPAT; USOCR	ADJ	OFF	2005/10/05 16:02
S45	1	"6026016".PN.	USPAT; USOCR	ADJ	OFF	2005/10/05 16:58

S46	16	extensible firmware interface	USPAT; USOCR	ADJ	OFF	2005/10/05 17:00
S47	17	EFI with firmware	USPAT; USOCR	ADJ	OFF	2005/10/06 13:48
S48	0	intermediate system loader	USPAT; USOCR	ADJ	OFF	2005/10/05 16:59
S49	16301	ISL	USPAT; USOCR	ADJ	OFF	2005/10/05 16:59
S50	2	ISL with loader	USPAT; USOCR	ADJ	OFF	2005/10/05 17:00
S51	1	extensible firmware interface with protocol	USPAT; USOCR	ADJ	OFF	2005/10/05 17:00
S52	2	("6188602").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 12:15
S53	1	S52 and provid\$3 same status	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/06 12:16
S54	33	EFI and firmware	USPAT; USOCR	ADJ	OFF	2005/10/06 13:59
S55	1093	ISL same load\$2	USPAT; USOCR	ADJ	OFF	2005/10/06 13:48
S56	252	ISL same system same load\$2	USPAT; USOCR	ADJ	OFF	2005/10/06 13:49
S57	23	ISL same system same load\$2 same intermediate	USPAT; USOCR	ADJ	OFF	2005/10/06 14:07
S58	0	S57 and S54	USPAT; USOCR	ADJ	OFF	2005/10/06 13:49
S59	8	EFI and firmware and PCI bus	USPAT; USOCR	ADJ	OFF	2005/10/06 13:59
S60	0	intermediate system loader	USPAT; USOCR	ADJ	OFF	2005/10/06 14:10
S61	54	Intermediate with System with Loader	USPAT; USOCR	ADJ	OFF	2005/10/06 14:32
S62	845	message\$ same header same body	USPAT; USOCR	ADJ	OFF	2005/10/06 14:33
S63	37	message\$ same header same body same indicator\$2	USPAT; USOCR	ADJ	OFF	2005/10/06 14:40
S64	1	message\$ same header same body same indicator\$2 and firmware	USPAT; USOCR	ADJ	OFF	2005/10/06 14:41

S65	92	message\$ same header same body and firmware	USPAT; USOCR	ADJ	OFF	2005/10/06 14:43
S66	1	header same body same message\$2 near2 (ID or identifier or identification) and firmware	USPAT; USOCR	ADJ	OFF	2005/10/06 15:08
S67	6	control message\$2 same data transfer message\$2	USPAT; USOCR	ADJ	OFF	2005/10/06 15:12
S68	28	messag\$4 system same header same body	USPAT; USOCR	ADJ	OFF	2005/10/06 15:13
S69	10	((("5579522") or ("6055632") or ("6253281") or ("6275931") or ("6357021"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 15:35
S70	3	S69 and message\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/06 15:44
S71	40114	header and body	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/06 15:44
S72	19912	header same body	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/06 15:44
S73	2393	header same body same message\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/06 15:51
S74	280	header same body same message\$2 and file transfer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/06 15:51
S75	6	header same body same message\$2 with file transfer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/06 15:52

S76	109	(updat\$3 or upgrad\$3) near3 firmware same packet\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 10:05
S77	20	(updat\$3 or upgrad\$3) near3 firmware same packet\$2 same messag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 10:11
S78	0	(updat\$3 or upgrad\$3) near3 firmware same packet\$2 same (header and body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 10:11
S79	15	(updat\$3 or upgrad\$3) near3 firmware same packet\$2 and (header and body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 10:13
S80	4185	(message\$2 or packet\$2) same (header and body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 10:15
S81	157	host same (message\$2 or packet\$2) same (header and body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 10:15
S82	1	host with provid\$3 same (message\$2 or packet\$2) same (header and body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 10:16
S83	89	host with (message\$2 or packet\$2) same (header and body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 10:18

S84	6307	(start or initiate or begin) near3 (transfer\$4 or send\$3 or transmit\$4) near3 (message\$2 or packet\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 10:30
S85	429	(start or initiate or begin) near3 (transfer\$4 or send\$3 or transmit\$4) near3 (message\$2 or packet\$2) same (end or terminate) near3 (transfer\$4 or send\$3 or transmit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 10:31
S86	332	(start or initiate or begin) near3 (transfer\$4 or send\$3 or transmit\$4) near3 (message\$2 or packet\$2) same (end or terminate) near3 (transfer\$4 or send\$3 or transmit\$4) near3 (message\$2 or packet\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 10:33
S88	3	(start or initiate or begin) near3 (transfer\$4 or send\$3 or transmit\$4) near3 (message\$2 or packet\$2) same (end or terminate) near3 (transfer\$4 or send\$3 or transmit\$4) near3 (message\$2 or packet\$2) same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 10:32
S89	23	(start or initiate or begin) near3 (transfer\$4 or send\$3 or transmit\$4) near3 (message\$2 or packet\$2) same (end or terminate) near3 (transfer\$4 or send\$3 or transmit\$4) near3 (message\$2 or packet\$2) and "710"/\$.cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 10:36
S90	208	(start or initiate or begin) near3 (transfer\$4 or send\$3 or transmit\$4) near3 (message\$2) same (end or terminate) near3 (transfer\$4 or send\$3 or transmit\$4) near3 (message\$2 or packet\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 10:36
S91	32	(start or initiate or begin) near3 (transfer\$4 or send\$3 or transmit\$4) near3 (message\$2 or packet\$2) same (end or terminate) near3 (transfer\$4 or send\$3 or transmit\$4) near3 (message\$2 or packet\$2) and header and body	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 10:53
S92	3430	(upgrad\$3 or updat\$3) near2 (firmware or bios)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 10:54

S93	1672	(upgrad\$3 or updat\$3) near2 (firmware or bios) and (messag\$3 or packet\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 10:55
S94	134	(upgrad\$3 or updat\$3) near2 (firmware or bios) and (messag\$3 or packet\$2) near3 plurality	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 10:59
S95	34	(upgrad\$3 or updat\$3) near2 (firmware or bios) and (messag\$3 or packet\$2) near3 plurality and (message\$3 or packet\$2) near4 (start or initiate or begin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 11:14
S96	45	(upgrad\$3 or updat\$3) near2 (firmware or bios) and (messag\$3 or packet\$2) near4 (start or initiate or begin) and header and body	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 11:15
S97	40	(upgrad\$3 or updat\$3) near2 (firmware or bios) and (messag\$3 or packet\$2) near4 (start or initiate or begin) and header and body not S95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 11:22
S98	1	(upgrad\$3 or updat\$3) near2 (firmware or bios) same (messag\$3 or packet\$2) near4 (start or initiate or begin) and header and body not S95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 11:16
S99	6	(upgrad\$3 or updat\$3) near2 (firmware or bios) and (messag\$3 or packet\$2) near4 (start or initiate or begin) and (header same body) not S95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 11:23
S100	36	(start or begin or initiate) near2 (file or data) near2 (transfer or transmit) near2 message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 11:26

S10 1	13	(start or begin or initiate) (file or data) near2 (transfer or transmit) near2 message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 11:29
S10 2	2	(start or begin or initiate) (file or data) near2 (transfer or transmit) near2 message and (end or terminate or complete\$2) (file or data) near (transfer or transmit) near2 message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 11:28
S10 3	7986	(start\$3 or initiat\$3 or begin\$3) near4 (transmit\$4 or send\$3 or transfer\$4) near2 message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 11:37
S10 4	2723	(start\$3 or initiat\$3 or begin\$3) near4 (transmit\$4 or send\$3 or transfer\$4) message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 11:37
S10 5	0	(cpu or processor) near2 provid\$3 with (start\$3 or initiat\$3 or begin\$3) near4 (transmit\$4 or send\$3 or transfer\$4) message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 11:38
S10 6	171	(cpu or processor) with (start\$3 or initiat\$3 or begin\$3) near4 (transmit\$4 or send\$3 or transfer\$4) message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 11:39
S10 7	93	(cpu or processor) with (start\$3 or initiat\$3 or begin\$3) near4 (transmit\$4 or send\$3 or transfer\$4) message and (end) near3 message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 11:39
S10 8	71	(cpu or processor) with (start\$3 or initiat\$3 or begin\$3) near4 (transmit\$4 or send\$3 or transfer\$4) message and end message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 11:40

S109	29	(cpu or processor) with (start\$3 or initiat\$3 or begin\$3) near4 (transmit\$4 or transfer\$4) message and end message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 11:44
S110	13	updat\$3 near2 (firmware or bios) and plurality messages	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 11:49
S111	0	updat\$3 near2 (firmware or bios) same plurality messages	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 11:46
S112	18	plurality near2 messages same (header and body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 11:51
S113	1258	packet\$2 same (header and body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 11:52
S114	5251	header same indicator\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 11:52
S115	2911	header with indicator\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 11:52
S116	146	header with indicator\$2 with first with second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 11:53

S11 7	6	header with indicator\$2 with first with second with (id or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 12:02
S11 8	281	(packet or message) passing system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 12:02
S11 9	83	(packet or message) passing and header and body and acknowledge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 12:03
S12 0	19	(packet or message) passing and header and body and acknowledge and indicator\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 12:03
S12 1	26197	(packet\$2 or message\$2) and flash memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 12:12
S12 5	14	initialization message and termination message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 12:13
S12 6	1328	(setup or initiat\$3 or intializ\$4) near3 (message\$2 or packet\$2) same (termination or end\$3) near3 (message\$2 or packet\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 12:20
S12 7	112	(setup or initiat\$3 or intializ\$4) near3 (message\$2 or packet\$2) same (termination or end\$3) near3 (message\$2 or packet\$2) and (updat\$3 or upgrad\$3) near3 (flash or memory or bios)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 12:26

S12 8	24	master and slave same doorbell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 12:28
S12 9	8848	I/O controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 12:28
S13 0	0	I/O controller near2 provid\$3 message\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 12:28
S13 1	43	I/O controller near2 message\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 12:29
S13 2	47	I/O controller near3 (send\$3 or provid\$4 or forward\$3 or transfer\$4 or transmit\$4) near2 (message\$2 or packet\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:12
S13 3	48	I/O controller near3 (send\$3 or provid\$4 or forward\$3 or transfer\$4 or transmit\$4 or end) near2 (message\$2 or packet\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:12
S13 4	1	I/O controller near3 (send\$3 or provid\$4 or forward\$3 or transfer\$4 or transmit\$4 or end) near2 (message\$2 or packet\$2) not S132	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:16
S13 5	3	I/O controller near3 (send\$3 or provid\$4 or forward\$3 or transfer\$4 or transmit\$4 or end) near2 (message\$2 or packet\$2) with plurality	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:17

S13 6	63484	(message\$2 or packet\$2 with header with body) same provid\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:39
S13 7	39161	(message\$2 or packet\$2 with header with body) with provid\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:40
S13 8	5866	(message\$2 or packet\$2 with header with body) with provid\$3 near2 (information or info or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:39
S13 9	410426	(message\$2 or packet\$2 with header with body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:40
S14 0	2105	((message\$2 or packet\$2) with header with body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:40
S14 1	25	((message\$2 or packet\$2) with header with body) with provid\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:41
S14 2	449	(send\$3 or transmit\$4 or transfer\$4 or forward\$3) with ((message\$2 or packet\$2) with header with body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:43
S14 3	51	(send\$3 or transmit\$4 or transfer\$4 or forward\$3) near3 ((message\$2 or packet\$2) with header with body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:43

S14 4	2	(send\$3 or transmit\$4 or transfer\$4 or forward\$3) near1 ((message\$2 or packet\$2) with header with body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:44
S14 5	16	(send\$3 or transmit\$4 or transfer\$4 or forward\$3) near2 ((message\$2 or packet\$2) with header with body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 13:44
S14 6	8	(transmit\$4 or transfer\$4 or forward\$3) near2 ((message\$2 or packet\$2) with header with body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 14:04
S14 7	47	host with transferring packets	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 14:05
S14 8	104748	(eof or end of file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 14:31
S14 9	20	(eof or end of file) (message or packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 14:49
S15 2	18487	handshak\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 14:41
S15 3	9	handshak\$3 same eof	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 14:44

S15 4	272	(send\$3 or transfer\$3 or transmit\$4) near3 eof	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 14:45
S15 5	8	(send\$3 or transfer\$3 or transmit\$4) near3 eof same processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 14:46
S15 6	49	(send\$3 or transfer\$3 or transmit\$4) near3 eof same system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 14:46
S15 7	0	(eof or end of file) (message or packet) and delimiter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 14:48
S15 8	49	eof and acknowledge and handshake	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 15:05
S15 9	3	eof and acknowledge and handshake and configuration near4 (file or packet\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 15:14
S16 0	41	eof and acknowledge and handshake and (updat\$3 or upgrad\$3 with firmware)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 15:16
S16 1	0	eof and acknowledge and handshake and (updat\$3 or upgrad\$3) with firmware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 15:16

S16 2	0	eof and acknowledge and handshake and ((updat\$3 or upgrad\$3) with firmware)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 15:16
S16 3	15	eof and acknowledge and handshake and firmware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 15:18
S16 4	9	handshak\$3 same eof	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/07 15:20